



Wet Cleaning®

Domus

Wet Cleaning Process: PRE-SPOTTING - WASHING - DRYING - FINISHING





Delicate Wet Cleaning



Very delicate Wet Cleaning

W Wet Cleaning



DRY CLEANING














Delicate Wet Cleaning



Very delicate Wet Cleaning



The optimal and balanced process for the professional washing SUCCESS



The best solution for its **efficacy**

80%

Nowadays 80% of stains are soluble in water (Wet Cleaning concept).

Then...

Why is the market still using machines which are only prepared to clean 20 % of stains?

The solution is **Wet Cleaning**.

20%

Only 20% of stains are not soluble in water (Dry Cleaning concept).

All type of garments TYPE OF STAIN DRY CLEANING WET CLEANING 2 Sweat 5 5 **Proteins** 1 5 Grease 4 Body odors 1 5 Shrinking 3,5 3

DRY vs WET comparison in most common stains. 1= bad result / 5= excellent result

W Wet Cleaning

PROFESSIONAL KIT INDUSTRIAL KIT

Place	Goal	Daily garments	Washer model
Small shops	Dry cleaning substitution Wet cleaning beginner	66	HPW-8 TOUCH II
Small shops	Dry cleaning substitution Additional machinery Wet cleaning beginner	83	HPW-10 TOUCH II



Small shops	Dry cleaning substitution	129	DHS-11 TOUCH II
Medium size shops New shops	Dry cleaning substitution New shop	168	DHS-14 TOUCH II
Medium size shops (Shopping centre) New shops	Dry cleaning substitution New shop	233/288	DHS-18 TOUCH II
Large shops (Shopping centre)	Dry cleaning substitution Large shop Big potential, important growth	323	DHS-28 TOUCH II
Laundries Large shops (Shopping centre)	Factories	452	DHS-35C TOUCH II

Important icons for Wet Cleaning







LIQUID DOSING

Dosing at the right time, with the necessary amount, gives us security during the process and homogeneity in the result. And the most important thing: tranquility.

8 dosis signals as standard + 6 extra signals (dosing time, delay, start selection) for all models.

TOTAL CONTROL WITH TOUCH II

Easy programming through icons, with touchscreen directly on the machine or with the computer and Wash Control software.



WATER RE-CYCLE

Optional kit to increase the care of the linen: recirculation of the bath water, which increases the water flow with chemicals, shortens the cycle and improves the effectiveness without mechanical action.









Domus Kit	Kg	Dryer model	Cycle garments	Daily cycles	Machine free for other uses	Advantages
KIT 8	5	HPD-8 TOUCH II	7	9	55%	Very low investment Ideal kit for beginners Low operation costs Perfect for small production batches
KIT 10	6	HPD-10 TOUCH II	9	9	55%	Very low investment Ideal kit for beginners Low operation costs Ideal for doing only Wet Cleaning
KIT 11	6	DTT-11	9	14	30%	Low investment Shops with small Wet Cleaning batches but working long hours Flexibility Compromise flexibility vs production
KIT 14	8,5	DTT-14	12	14	30%	Low investment Shops with small Wet Cleaning batches but working long hours Flexibility Compromise flexibility vs production
KIT 18/22	10/13	DTT-18/22	14/16	16/18	30%	Perfect pack for shops (Wet cleaning and normal garments) A good solution for bedspreads, covers and other large garments Versatile
KIT 28	16,5	DTT-28	23	14	30%	Perfect pack for large shops (Wet cleaning and normal garments) Wet Cleaning productivity Laundry productivity
KIT 35	22	DTT-35	32	14	30%	Perfect pack for laundries (Wet cleaning and normal garments) Wet Cleaning productivity Laundry productivity







TEMPERATURE CONTROL

Temperature and air-flow control result in the perfect drying for delicate garments. The humidity sensor helps to shorten the drying process, thus ensuring the appropriate humidity level for the subsequent ironing of garments.



✓ AIR RE-CYCLE

THERMAL INSULATION


S FULL FLOW

⊘ SFEX

Temperature sensor IN

Temperature sensor OUT

Humidity sensor





IN 1 HOUR



WASHERS Heavy professional and industrial

DOMUS heavy professional and industrial washers with new TOUCH II microprocessor (and software) offer a user-friendly and ideal programming for Wet Cleaning system.

All models, from 8 to 120kg, are equipped with outstanding features like drum and tub in stainless steel, Hot & Cold Mix (automatic water mixing), Efficient Drum to improve the mechanical action, etc.







DHS-14 ECO-ENERGY

DRYERS Heavy professional and industrial

DOMUS heavy professional and industrial dryers with new TOUCH II microprocessor offer a variety of ranges and capacities from 8 to 80kg.

The ECO-ENERGY rane is equipped with ideal features to ensure the best results: Air Re-cycle (air recovery), with an intelligent humidity sensor, panels and air circuit with thermal insulation, stainless steel drum, reversing drum, Soft Dry: stamped holes in the drum to take care of delicate garments.



HPD-8/10



DTT-18 ECO-ENERGY

STACK The professional duo

The easiest and most economical way to get started in the Wet Cleaning process. STACK is the most accessible solution of Wet Cleaning for 8 and 10 kg machines, that is to say, 4.5 and 6 kg of delicate garments.

As well as industrial machines, STACK includes easy programming TOUCH II control to obtain a better functionality and performance.



HPW-8 + HPD-8 TOUCH II

ECOTANK Water recovery tanks

Perfect system to recover water and chemicals from the diferent washing phases. We can premix chemicals with water before its use.

ECOTANK



Mannequins

Automated working cycles. Electronic card. Possibility to set nine different cycles, and regulation of steaming and drying time. Adjustable shoulder width and height of the dummy. Rotation 360° of dummy support (frame) and controls.

MAC-COAT-C without boiler - to be connected to a central steam supply. For the finishing of coats and similars.







RECOVERY TANK



STEAM GENERATOR

Finishing tables

VACUUM, UP-STEAMING AND BLOWING IRONING TABLES

Available either with built-in electric steam boiler and vacuum unit, or to be connected to an external steam and vacuum supply. It can be supplied in the following versions:

TPC - VBA: with built-in steam boiler of 7 litres-capacity, with standard board (1200 x 400 x 250 mm). TP - VBA: without boiler, with standard ironing board (1200 x 400 x 250 mm).



WITH LIGHTING



TP-VBA

Topper

Finishing topper for trousers with air-operated waistband and leg stretching device, for central steam and compressed air supply.

Side waistband stretching device. Height adjustable leg stretching carriage and stainless steel leg clamps. Built-in threephase fan; air heating device. Electronic card for the setting of nine ironing cycles in total. Ironing cycle controlling: steaming time, steam/air time, drying time. Three pressure regulators (for leg clamps, waistband stretcher and leg stretching carriage). Switch for the exclusion of the leg stretching carriage. Manual size indicator. Mechanical airflow regulator.



TOPPER-C

Wet Cleaning

Application fields

HOTEL INDUSTRY:
UNIFORMS
CUSTOMER GARMENTS















CARE HOMES



BOARDING SCHOOLS






▲ DRY CLEANER'S

For more information please check our brochures or datasheets, available at our website.





DOMUS

C. Energia, 12 - Pol. Ind. La Quintana 08504 Sant Julià de Vilatorta **BARCELONA (SPAIN)**

SALES DEPARTMENT

T. +34 93 888 71 53 M. +34 649 482 730 domus@domuslaundry.com export@domuslaundry.com

AFTER SALES DEPARTMENT

T. +34 93 888 76 73 sat@domuslaundry.com PARTS DEPARTMENT

T. +34 93 888 76 83 parts@domuslaundry.com









WWW.DOMUSLAUNDRY.COM





